	L #	Hits	Search Text	DBs	Time Stamp
1	L1	1044	(LED diode) and ((current voltage power) near5 (puls\$5 intermit\$5 discontinuous\$4 period) square adj wave) and (cure curing cured curable polymeriz\$7 photocure photocuring photocured photocurable photopolymeriz\$7 crosslink\$5 cross adj link\$5 harden\$5 photoharden\$5)		2006/05/29 15:29
2	L2	o	overheat\$5)with(buildup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/29 15:31
3	L3	30761	<u> </u>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/29 15:32
4	L4	4309	thermal\$3 overheat\$5)with(buildup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/29 15:33
5	L5	1056	degrees radians	TICDAT.	2006/05/29 15:34
6	L6	1056	degrees radians		2006/05/29 15:35

10/072.302 - update +

5/29/2006, EAST Version: 2.0.3.0

	L #	Hits	Search Text	DBs	Time Stamp
7	L7	0	L1 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/29 15:35
8	L8	0	L1 and L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/29 15:38
9	L9	1038	(heat adj sink heatsink) same (angle angular orientation degrees radians perpendicular normal) with (light radiation wave adj lengths wavelength UV ultraviolet IR infrared)		2006/05/29 15:38
10	L10	0	L1 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/29
11	L11	101	L4 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/29 15:39
12	L12	43	L4 and L9	H: D(1 + . D(1 +	2006/05/29 15:39
13	L13	365	L5 and L9	H. Dile . I Dile I	2006/05/29 15:40

	L #	Hits	Search Text	DBs	Time Stamp
14	L14	445	Lll or Ll2 or Ll3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/29 15:41
15	L15	48	L14 and dental	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
16	L16	397	L14 not L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/29 15:42
17	L17	0	L1 not L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/29 15:42